Cataract Eye Drop Schedule

Keep your eye closed after drop is instilled and wait 5 minutes between each drop.

Before Surgery	3 Days Before	2 Days Before	1 Day Before
Ofloxacin	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑
Lotemax	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑
Diclofenac	❑❑❑	❑❑❑	❑❑❑

1st Week	Day of Surgery 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Ofloxacin	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑ STOP
Lotemax	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑
Diclofenac	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑

2nd Week	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Lotemax	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑	❑❑❑❑
Diclofenac	❑❑	❑❑	❑❑	❑❑	❑❑	❑❑	❑❑ STOP

3rd Week	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Lotemax	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑
4th Week	**Day 1**	**Day 2**	**Day 3**	**Day 4**	**Day 5**	**Day 6**	**Day 7**
Lotemax	❑❑	❑❑	❑❑	❑❑	❑❑	❑❑	❑❑