Cataract Eye Drop Schedule

Keep your eye closed after drop is instilled and wait 5 minutes between each drop.

Before Surgery	3 Days Before	2 Days Before	1 Day Before
Ofloxacin	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑
Prednisolone	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑
Diclofenac	❑❑❑	❑❑❑	❑❑❑

1st Week	Day of Surgery 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Ofloxacin	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑
Prednisolone	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑	❑❑ ❑❑
Diclofenac	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑	❑❑❑

2nd Week	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Prednisolone	❑❑	❑❑	❑❑	❑❑	❑❑	❑❑	❑❑
Diclofenac	❑	❑	❑	❑	❑	❑	❑

3rd Week	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Prednisolone	❑	❑	❑	❑	❑	❑	❑

4th Week	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Prenisolone	❑	❑	❑	❑	❑	❑	❑